

# **Chubb**safes





# **Omega**

All organisations today are at risk from opportunist attacks. Omega Deposit Safes can securely hold cash without the need for them to be opened. The safe ideal for retail outlets operating remotely from central areas and in multishift or out-of-hours environments where key holders are not always available. Omega Deposit safes mean that large quantities of money do not have to build up in the cash till.

### **Key Features**

- Door is made from 10mm steel and body is made from 6mm steel
- 20mm diameter steel bolts secure the door
- Door bolts operate in three directions
- An anti-fishing device prevents deposits from being removed once deposited into the deposit chute

- Shelf supplied with size 2 model
- Omega Deposit comes with two lock options:
  - o Double bitted 8-lever key lock
  - o A programmable electronic lock
- An anchoring kit is supplied so the safe can be securely base- or rear-fixed, preventing unauthorised removal once installed

#### **Technical Information**

				External			Internal						
	Models	Volume	Dual Locking	Height	Width	Depth	Height	Width	Depth	Shelves	Weight	Barrier mm	Bolt-work
	Size 1	24L	✓	455	340	380	212	328	308	-	54kg	6mm Steel Door with 3mm Steel Body	Dual plated steel moving bolt-work - can be securely rear or base fitted
	Size 2	48L	✓	700	340	380	455	328	308	1	74kg		





# **Chubb**safes

### **Lock Options**

Our comprehensive lock range includes the latest industry locks which offer a wide range of features. So whether it be the "mechanical combination" lock or a more hi-tech electronic solution, Chubbsafes are sure to have a lock which will meet your security needs. We have explained the key terms associated with locks below.

#### **Definitions:**

- **Key Lock**: A manual key operated lock.
- Mechanical Combination: A mechanical keyless dial lock with a changeable combination.
- **Electronic Lock**: An electronically operated keypad lock with a changeable combination.
- Manager Mode: Allows one user to control the functions of other combination holders.
- Number of Users: The number of users able to program in their own access code.
- **Duress Feature**: It is possible for an alarm engineer to link the lock into a monitored alarm system. It is then possible, by a given procedure, to operate the lock, open the safe and silently signal to the monitoring station that this is being done under duress.
- **Time Delay**: This feature allows for a pre-set delay between operating the lock and being able to open the safe. The operation may vary between lock types.
- **Time Lock**: Time lock allows the user to set periods during which the lock may be operated, e.g. during business hours only. The options available will vary between locks.
- Audit Trail: The lock is able to give a report (it will vary in detail from model to model) of usage and may show times of operation, codes used and operations performed.
- **Dual Control**: Allows two users to enter their details before any operation can be performed.

### Planning, Delivery & Installation

Once you have selected a safe or cabinet, Gunnebo can offer you a comprehensive installation survey (for certain products only). Gunnebo will then agree with you a flexible installation schedule. The flexibility of the installation process is evidence of Gunnebo's commitment towards ensuring the cost and time efficient completion of your purchase.

Gunnebo products are delivered and installed by trained Gunnebo installers. Whatever the delivery environment (e.g. large bank or small office), you can be assured that the installers will take the greatest care. We are also focused on making sure the service on offer is achievable, to the highest standards of workmanship and is promptly completed within the contracted timescales.



