The *Platinum* range has been expertly designed to ensure you have the best protection for your valuables.



# Platinum Safe Range

BURGLARY - RESISTANT PROTECTION

# **Key Features**

- · The traditional construction promotes its strength complemented by a clean and simple
- · All Platinum safes are tested and certified by leading test authorities.
- · Passive and active relockers are incorporated into the boltwork to resist attack.
- · The cash rating increases with the grade of
- · The Platinum range can be customised with a choice of locking options, deposit traps, shelves and lockable drawer in order to meet customer requirements.
- · Our research into barrier materials has provided an advanced range specially selected for the Platinum. The characteristics of the Borox™SP barrier material strengthens the resistance to cutting, coupled with special construction techniques, provide unmatched resistance to attack in each category.
- · As an extension of the range deposit versions are included. The deposit head is a fully integrated drawer unit in the safe and equipped with anti-fishing plate.
- · Base fixing is standard on all models.




















# Platinum Dimensions

SABS Category	Cash Rating	Size		xterna <b>l</b> Width B	Depth C	Height	Interna Width			d Fittings Drawers	Weight (kg)	Volume (Lt)	Optional Deposit type
		1	400	500	475	270	370	320	0	n/a	185	32	n/a
CAT 1 LOCKING 1 x key lock		2	600	500	475	470	370	320	1	n/a	225	56	n/a
	R5 000	3	750	500	475	620	370	320	1	yes	265	73	n/a
		4	750	630	575	620	500	420	1	yes	373	130	n/a
		5	980	630	575	850	500	420	1	yes	467	179	n/a
CAT 2 LOCKING 2 x key locks		1	400	500	475	270	370	320	0	n/a	190	32	n/a
		2	600	500	475	470	370	320	1	n/a	230	56	n/a
	R12 500	3	750	500	475	620	370	320	1	yes	270	73	n/a
		4	750	630	575	620	500	420	1	yes	378	130	n/a
		5	980	630	575	850	500	420	1	yes	472	179	n/a
CAT 2 ADM LOCKING 2 x key locks		1	600	475	555	400	275	275	optiona <b>l</b>	n/a	347	30	A5
		2	600	600	600	400	400	320	optiona <b>l</b>	n/a	438	45	A5,F,G
		3	700	600	600	500	400	320	optiona <b>l</b>	n/a	494	60	A5,F,G
		4	700	700	700	500	500	420	optiona <b>l</b>	n/a	601	100	A5,G
	R50 000	5	800	700	750	600	500	470	1	yes	733	140	F
		6	1050	700	750	850	500	470	2	yes	904	200	n/a
		7	1400	700	750	1200	500	470	3	yes	1190	280	n/a
		8	1650	700	750	1450	500	470	3	yes	1332	340	n/a
		9	1800	900	750	1600	700	470	3	yes	1950	526	n/a
		10	2000	950	750	1800	750	470	3	yes	2088	638	n/a
CAT 3 LOCKING 2 x key locks		1	600	475	555	400	275	275	optiona <b>l</b>	n/a	367	30	A5
		2	600	600	600	400	400	320	optiona <b>l</b>	n/a	458	45	A5,F,G
		3	700	600	600	500	400	320	optiona <b>l</b>	n/a	514	60	A5,F,G
		4	700	700	700	500	500	420	optiona <b>l</b>	n/a	621	100	A5,G
	R100 000	5	800	700	750	600	500	470	1	yes	773	140	F
		6	1050	700	750	850	500	470	2	yes	944	200	n/a
		7	1400	700	750	1200	500	470	3	yes	1230	280	n/a
		8	1650	700	750	1450	500	470	3	yes	1392	340	n/a
		9	1800	900	750	1600	700	470	3	yes	2010	526	n/a
		10	2000	950	750	1800	750	470	3	yes	2148	638	n/a
CAT 4 LOCKING 1 x Combination 2 x key locks		2	600	600	600	400	400	320	optiona <b>l</b>	n/a	468	45	G
		3	700	600	600	500	400	320	optiona <b>l</b>	n/a	524	60	F,G
		4	700	700	700	500	500	420	optiona <b>l</b>	n/a	631	100	G
		5	800	700	750	600	500	470	1	yes	783	140	F
	R200 000	6	1050	700	750	850	500	470	2	yes	954	200	F
		7	1400	700	750	1200	500	470	3	yes	1240	280	n/a
		8	1650	700	750	1450	500	470	3	yes	1402	340	n/a
		9	1800	900	750	1600	700	470	3	yes	2020	526	n/a
		10	2000	950	750	1800	750	470	3	yes	2158	638	n/a
CAT 5 LOCKING 1 x Combination 2 x key locks		1	628	528	603	460	360	360	1	yes	390	60	F
		2	718	668	663	550	500	420	2	yes	535	116	F
		3	1018	668	663	850	500	420	2	yes	710	179	F
	R300 000	4	1208	668	773	1040	500	530	2	yes	940	276	n/a
		5	1468	668	773	1300	500	530	2	yes	1120	345	n/a
		6	1736	903	663	1628	735	420	2	yes	1490	503	n/a
-		7	1796	903	773	1628	735	530	2	yes	1565	634	n/a



# Chubbsafes Drop Safes - Offer your business the ultimate in security and protection

Cash takings are "dropped" into the safe via a secure deposit trap. Keys to the safe are not held on your premises, which means a reduction in the risk of crime. The versatile range of deposit traps are manufactured for use as either front flush or rear entry through the wall (230mm maximum). The patented G-trap is keyless but still maintains a high security level. The design and materials used in each trap are equivalent in strength to the SABS rating given to the safe to which it is attached, meaning that the trap does not weaken the overall strength of the safe or reduce its resistance to attack.



## **A5 Type Drawer Deposit**

- Drop size (in mm): 160 x 154 x70
- · Locking: One key lock



## **F Type Drawer Deposit**

- Drop size (in mm): 210 x 300 x 100
- · Locking: One key lock




#### F Type Rear Drawer Deposit

- Drop size (in mm): 210 x 300 x 100
- · Locking: One key lock
- Wall thickness: 230mm maximum



#### **G** Type Drawer Deposit

- Drop size (in mm): 210 x 300 x 100 (via top of safe)
- Locking: The unique design of this drawer deposit allows the trap to be keyless but still maintain security levels.







#### Locking

 Standard locking is dependant on the category of the safe, either a key lock or a combination of a key lock and keyless combination lock. A wide variety of electronic, time and time-delay locks can be fitted on request.

The electronic lock provides intelligent locking for your security and access control requirements.

Many customers require sophisticated locking systems in order to be accountable for access to money, data or private documents.

#### **Electronic lock features:**

- · Basic to more sophisticated locking options
- · 1 master code opening
- · 2 7 user codes
- Time delay of 1-99 minutes for master codes and user access locks
- · Dependant on level required
  - Dual custody codes
  - · CIT code
  - Duress
  - · Audit trail 500 events with times
  - · Finger print reader





Combination lock with C5 'spy' shield to prevent unauthorised viewing of access code



Key lock

Time lock



Trusted the world over.

Members of the Gunnebo Security Group



Bishopsgate Int (Nig) Ltd 52a Campbell Street Lagos Island CBD

Lagos State 100221
Tel. +234 (700) 247-4677-4283
Email: sales@bishopsqate-nq.com
Web: www.bishopsqate-nq.com