



## Titanium CAT 5 Deposit Safe


Offer your business the ultimate in security and protection

Cash takings are 'dropped' into the safe via a secure deposit trap. Keys to the safe are not held on your premises, which mean a reduction in the risk of crime. The versatile range of deposit traps are manufactured for use as either front flush or rear entry through the wall (230mm maximum). The patented G-trap is keyless but still maintains a high security level. The design and materials used in each trap are equivalent in strength to the SABS rating given to the safe to which it is attached, meaning that the trap does not weaken the overall strength of the safe or reduce its resistance to attack.

### Key Features


- The deposit head is a fully integrated drawer unit in the safe and equipped with an anti-fishing plate.
- All Titanium safes are tested and certified by leading test authorities.
- Active re-lockers are incorporated into the bolt-work to resist attack.
- Base fixing is standard on all models.
- Our research into barrier materials has provided an advance range specially selected for the Titanium range of safes.
- The characteristics of the Borox™ barrier material strengthens the resistance to cutting, coupled with special construction techniques, provide unmatched resistance to attack in each category.

### Technical Information




#### G Type

- Drop size 210 x 100 x 75 via top of safe
- Unique design allows for keyless trap whilst maintaining security levels



#### F Type Rear

- Drop size 210 x 300 x 100
- One key lock
- 230mm maximum wall thickness



#### F Type Front

- Drop size 210 x 300 x 100
- One key lock

From




Bishopsgate


Technical Specifications

Model	Volume	Locks		External mm			Internal mm			Weight	Bolt-work	Barrier mm
		Door	Trap	Height	Width	Depth	Height	Width	Depth			
A4 F Trap – Front	45L	2KL & 1KCL	1KL	736	540	525	400	400	320	349Kg	3 way moving with back bolts	100 mm overall thickness of attack resistant materials
A4 F Trap – Front	60L	2KL & 1KCL	1KL	836	540	525	500	400	320	445Kg		
A4 F Trap – Front	100L	2KL & 1KCL	1KL	836	640	625	500	500	420	565Kg		
A4 F Trap – Front	140L	2KL & 1KCL	1KL	936	640	675	600	500	470	625Kg		
A4 F Trap – Front	200L	2KL & 1KCL	1KL	1186	640	675	850	500	470	750Kg		
A4 F Trap – Rear	45L	2KL & 1KCL	1KL	836	540	525	400	400	320	451Kg		
A4 F Trap – Rear	60L	2KL & 1KCL	1KL	836	540	525	500	400	320	484Kg		
A4 F Trap – Rear	100L	2KL & 1KCL	1KL	836	640	625	500	500	420	644Kg		
A4 F Trap – Rear	140L	2KL & 1KCL	1KL	936	640	675	600	500	470	740Kg		
A4 F Trap – Rear	200L	2KL & 1KCL	1KL	1186	640	675	850	500	470	820Kg		
G Trap – Top Front	60L	2KL & 1KCL	0	836	540	525	500	400	320	450Kg		


F Type Front



F Type Rear



G Trap Front



## Cash Ratings

Cash Rating is “The amount an insurance company will cover in a safe/cabinet overnight.” The actual amount of cover can vary between insurance companies and locations and may be different to the manufacturer’s recommended rating. If this is important to you, you should check what cover your insurance company will offer. Chubb safes offer a range of cash rated safes of between R5 000 for SANS 751 Category 1 and R300 000 for SANS 751 Category 5 safes.

## Lock Options

Our comprehensive lock range includes the latest industry locks which offer a wide range of features. So whether it be the “mechanical combination” lock or a more hi-tech electronic solution, Chubb safes are sure to have a lock which will meet your security needs.



### Key Lock: (Standard)

A manual key operated lock.



### Electronic Lock: (Optional)

An electronically operated keypad lock with a changeable combination.



### Time Delay Lock: (Optional)

This feature allows for a pre-set delay between operating the lock and being able to open the safe. The operation may vary between lock types.



### Keyless Combination Lock: (Optional)

A mechanical keyless dial lock with changeable combination.

## Planning, Delivery & Installation

Once you have selected a safe or cabinet, Gunnebo can offer you a comprehensive installation survey (for certain products only). Gunnebo will then agree with you a flexible installation schedule. The flexibility of the installation process is evidence of Gunnebo’s commitment towards ensuring the cost and time efficient completion of your purchase.

Gunnebo products are delivered and installed by trained Gunnebo installers. Whatever the delivery environment (e.g. large bank or small office), you can be assured that the installers will take the greatest care. We are also focused on making sure the service on offer is achievable, to the highest standards of workmanship and is promptly completed within the contracted timescales.



### **Bishopsgate Int (Nig) Ltd**

52a Campbell Street

Lagos Island CBD

Lagos State 100221

Tel. **+234 (700) 247-4677-4283**

Email: [sales@bishopsgate-nq.com](mailto:sales@bishopsgate-nq.com)

Web: [www.bishopsgate-nq.com](http://www.bishopsgate-nq.com)



**Bishopsgate Int (Nig) Ltd**

52a Campbell Street

Lagos Island CBD

Lagos State 100221

Tel. +234 (700) 247-4677-4283

Email: [sales@bishopsgate-ng.com](mailto:sales@bishopsgate-ng.com)

Web: [www.bishopsgate-ng.com](http://www.bishopsgate-ng.com)